


Tronchetto lungo speciale

Norme: ISO 7/1 GAS Conico

Materiale: Aisi 304L EN 1.4307 – Aisi 316L EN 1.4404

cod. 399S



DN	Ø GAS inch	D mm	L mm	Stock	Peso
8	1/4"	13	120	R	0,08
			150	R	0,10
			180	R	0,12
			200	R	0,13
			250	R	0,16
			290	R	0,18
			300	R	0,19
10	3/8"	17	120	R	0,10
			150	R	0,12
			180	R	0,15
			200	R	0,16
			220	R	0,18
			230	R	0,19
			250	R	0,21
			260	R	0,21
			290	R	0,24
			300	R	0,25

continua >

DN	Ø GAS inch	D mm	L mm	Stock	Peso
15	1/2"	21	110	R	0,14
			120	R	0,15
			150	R	0,19
			180	R	0,22
			200	R	0,25
			250	R	0,31
			300	R	0,37
20	3/4"	27	120	R	0,20
			150	R	0,25
			160	R	0,26
			180	R	0,32
			200	R	0,33
			220	R	0,36
			240	R	0,39
			250	R	0,41
			260	R	0,43
			300	R	0,49
25	1"	33,5	120	R	0,30
			140	R	0,34
			150	R	0,37
			160	R	0,39
			180	R	0,44
			200	R	0,49
			250	R	0,61
			300	R	0,73
32	1"1/4	42	120	R	0,40
			150	R	0,50
			180	R	0,60
			200	R	0,66
			250	R	0,83
			300	R	0,99

continua >

DN	Ø GAS inch	D mm	L mm	Stock	Peso
40	1"1/2	48	120	R	0,48
			150	R	0,60
			180	R	0,71
			200	R	0,79
			240	R	0,95
			250	R	0,99
			260	R	1,02
			270	R	1,06
			280	R	1,10
			300	R	1,18
50	2"	60,5	120	R	0,64
			150	R	0,80
			180	R	0,96
			200	R	1,06
			230	R	1,22
			250	R	1,32
			270	R	1,43
			300	R	1,59